Omnium Rerum Figuratarum in V Decadibus,

Seu SECUNDO WOLUMINE

LAZOPHYLACII NATURÆ & ARTIS

Singulis ad proprias Tabulas & Numeros relatis.

A JACOBO PETIVER, Pharmacop. LONDIN. & Regiæ Societat. Socio.

```
Animalia, Fossilia, Vegitabilia, &c. Anglicana.
                                                          ×65.. fasciata, undis rubris 93.15
                                                           66 . Orchad. alba, fasciis capillaceis 76. 1
    TEra & ultima Effigies Cleriss. & Erud. D. D. J. Ray. 167 Petten media lata compressa 94. I
                  Gazophil. Natura & Artis Tab. 51. Fig. 1 68 minor alba contusa, Proteiformis 94. 2
    Cataphractus Schonseldii Gaz. Natur. Tab. 51. Fig. 10 69 Pestunculites umbratilis Schistoides 51.8
    Liparis Cornubiensibus Butterfist dict. 51.5
                                                           70 Pectunculus major striis angustis 93.10
    Piscis Cornubiensis dorso oculato Nine-Eyes dict. 51.4
                                                           1271 - minimus triquetrus Essexiensis 93. 1 1
    Sturiolus Cornub. dorso aculeato 51.12
                                                            _72. fossilis striis, capillaceis e Kendal 95.7
    Papilio alba major, apicibus nigris 62. 3
                                                           273 - Limington striis eleganter rugosis 72. 12
                                                                                                                  £2.13
    .. media, apicibus nigris 61.1
                                                           74 Pholas angustius 79. 10
    venis subtus nigricantibus 62, 4
                                                           (75 · latus 79, 11
    Eryopteris alba vulgaris 66. 10
                                                         276 Chamæpholus bifrons 79. 13
    . cinerea media 66. 11
                                                          77 . latus 79.12.
                                                           278 Purra fasciata & radiata 94.8
    marmorata minor 66. 12
                                                          4779 Sphondylus Limington, rostro ad dextram 72. 10
    fusca media 67. 6
                                                           480 ... ad sinistram 72. 10
    plumosa minor perelegans 67.7
                                                           X81 Tellina cuneata compressa e rubro radiata 94. 9
    e fusco cinerea minor 67.8
    Phalena nigra minor, apicibus albidis 69. 8
                                                           82 Dentale Anglicum minus 65. 9
                                                          783 . Limington minus fossile 78.4
    minima 69.9
                                                           7 84 Entale rugosum fossile 95. 11
    media fulva, maculis nigris 70. 7
                                                          * 85 Aporrhais Edinburgic. minor nodosa 79.6
     fasciata, Tawny Girdle 64. 5
                                                           186 Buccinum marinum cancellarum 754
    .. Lamda dilla 64. 6
                                                           87 Buccinulum Limington parvum eleganter tessellatum73 9
     alba, pulchre marmorata 51.9
                                                         88 .. sulcă ex latere notabili 73. 7.8
    strummen striata 51.6
                                                           189 Cochlea marina orbibus catenaris 93.7
    Cantharus Anglica vulg. 69. 11
    Cimex Hyoseyamoides ruber, maculis nigris 62.2
                                                       X90 . terrestris vulgatissima variegata 92 9 M. P. 14
    oblongus, venuste striatus 61. I
                                                          1x91 ..ex toto flavescens 91.9
    Cochinella minima guttulis nigris 69. 10
                                                           1292 . . flavescens fascià singulari 91 : 10
    Forficula vulgaris 74. $
                                                         93 .. ex toto carneus 91.11
                                                           294 id. fasciâ singulari 91. 12
    Hydrocantharus maximus lævis 74. 12
                                                            195 ... ex toto fuscus 92. 10
    . striatus 74. II
    major lævis 72. 8
. striatus 72. 8. 1
. medius ater lucens 70.
                                                           496 Nerita Thamensis reticulata 91. 3
                                                         297 Planorbis fluviat. major vulg. 92. 5
                                                         × 98 . . polygyrata minor 92.6
                                                          × 99 ... minima crassa 92. 8
    .. lævis 70. 3
                                                         100 .. minima 2 orbium 92. 7
.. Striatus 70. 2
   Cicada aquatica 70. 8

Scorpio aq. vulg. 74. 4.

Pediculus inguinalis 67. 9

Scolopendria aq. Sanguinea minima 6. 13

Ovarium subulosum, pediculo Pyre complectens 74. 6

123 Unicornu Limington orbibus planis 78. 12

13 Ligula marinalelba 5ussena 91. 5

14 Ligula marinalelba Sussena 91. 5

15 Fungus spiculatus pendens, 72. 13

117 Clavatus, putredine ortus 51. 7
                                                         Ty 18 : Coralloides ramolus albus 93.4
    Echinites Ozmiensis minor cordatus 51. II
    Anomia alba Cretacea lævis 93. 19
Chama alba rotundior, cardine cochleato 94. 3

129 . . . flavus 93. 5

Lao . digitatus niger, apicibustalbidis 67. 12
                                                            141 . serrestris subtus Brimncens 92. 16
    .. prætenuis, catdine cochlesto porrectiore 94. 4
                                                       122 . gelusinus lubtus porolus 92. 15
    media, fasciata crassa 94.7
                                                        123 Fungellus fol. Coryloguns adhærens 95.,8
    minor, fasciis pauciocibus 94. 5
                                                          124. Pessundulaides stipitibus incisis exceescens 95. 9
    ...plurimis 94. 6.
Cuncata Limingtoniana fasciata fossilis, 78. 8
                                                        125 Muscus politicides polycophalus 93. 16
                                                         126 Tricheides acamps latifolia 95. 14. M. P.86
     Scotion oblonga, fossilis lavis nigricans 80. 5
                                                         137 capit. inflexo pene acaulos 95. 15
    Glycymeris Harvisonsis striatus, fossilis 79.7
                                                       H 128 Trichomanes maritima majos 91.8"
    Hippocephalus minor lavis è Weelwich Cass, So. 4
     lavis roftro majore è Maidfin Cont. Bail
                                                       39 Aftroises Silicens Wittensenfis 68. 9
    Lumes alba, rorunda, denie taldata 9 3.138.
Cumo, puichre undulata et maiata 73.18
                                                         Lapis Linkship Ernstylle Alabostrinis Sparine 74. 10
```

Tie Cochlea Luzitefreskeise com keil, sascia nigrasioo. 14 217. fluviatilis major, ovipara, velca 100, 7 EUROPÆ Insestæ, Cochlea, Planta, &c. 140 Capricornus Helvericus perelegans maculatus Tab. 5.3 (220 ... minor 100. 9 141 Locusta Med. major impennis Gaz. Nat. Tab. 100 F. 2 \$ 221 Ejustem Operculum 100. 10 142 Scolopondria Helvetica aq. parva Sanguinea G. Ni 6.F. 1 2222. L. vesca, orbibus fere elatis 99. 16 223. oblonga Hortensis non vesca 100. 13 4143 Cochlea Lustanica ore nigro G. N. Lab. 65 Fig. 4. *K224.... é luteo fusca, ore dextro 76. 6 6. XX44. Pisana Hortens. Anglic. facie G. N. 52. II 1225 Nerita Luzon, lævis, versieolor, clavicula brevi 9, 17 1.45. Pisana minor umbilicata G. N. 52 12. (226. e nigro & albido sulcata 100. 6. 4146. Monspeliensis major compressa Lister G. N. 61.6 227 Oriental. alte sulcata, e nigro & candido mixta 55. 4. 147 Trochylus Monspeliensis pyramidalis 65 10. 228. fasciis ternis e nigro pallidoque interruptis 56.3. 348 Buccinulum Adriaticum breve tessellatum 52 14. 229 Planorbis Luzon. marit. Serpentis more picturata 98. 18 #149.cancellatum lingulà ceruleà e Gibraltar 52 13. 230 Buccinum Indicum aureum, tuberculis albis 53. 4 50 Murex Méditer. aculeis rigidis brevibus 68. 12 231. maculis tuberculisque mire ornatum 54, 6 Just Veneris Concha Pantellariæ media castanea Bonan. 52.10 232. cinereum squamolum 55.2 7152. affinis Liburnica parva 66.2 233 . fasciis albis & nigris cinctum 55.3 153 Pectunculus Lusitan. minor rufescens 52.8 K234 . . . costis eleganter elatis, 55. 5 15354...alba minor, undis capillaceis 5.2.7 235 : asperum, multicolor 56. 5 L'155. Neapolitani. minor crassus, maculis russis 52. 9 236 . Condor. breve verruculatum 64. 7 156 Operculum Mediterr. vulgare rufelcens 65. 5 (237 . . oblongum costatum 64. 8 157 Pila marina Mediter, vulgatissima 64. 4 238 Luz. ore parvo valde rugoso & lacerato 74.9. & 95. * 158 Corallina Alpina valde crispa 65.7 239. pyramidale, orbibus granulosis 98. 15 159 Muscus Helveticus trichoides crispatus 65. 8 240 Buccinulum Luz. dentatum, nigrum, maculatum 98. 1 160 Gramen Hélvet, glumis rarioribus acerosis 66. 4 241 Id. & lineatum 98.18' 161. paniculatum annuum parvum; 66. 5. 242 Cylindrus Madraspat. minor albus, ore patulo 69.3 162 Cirsium Helvet. parvum, Cacaliæ folio acuto 65. 2 k 243. Luz. marmoratus, ore carneo & nigro 98. 10 163 Eryngium Hispanicum pumilum 52.3. 1244 . Moluccens. levis, ex rufo alboque marmoratus 93.8 164 Ptarmica Alpina odorata pumila 66. 8. 1245 . . crassus carneus, fasciis capillaceis suscis 98. 9 165 Chelidonia Hispanica foliis serratis 52. 4. 246 Musica Indica, fasciis nigris intersectis 56. 1 166 Ranunculus Helvet. pumilus, fl. albo 65. 13 L247 . Luzon. major, undis castaneis 70. 10 167 Id. fl. albo, marginibus purpureis 65. 12. K248 Murex Luz. plicis elatis nigris rugolis 99. 13 168 Sedum Alpinum Ericoides ceruleum 65. 14. 1/249 . . alara, circulis pulchre asperis 100. 12 169. fol. hirtis, flore albescente 66. 7. 250 Oxyrinchus Indic. orbibus nodosis & catenatis 56, 6 170. Rhæticum mulcosum, flore luteo 66. 6. 16251 Perdicea Luz. lævis undulatus, major 98. 11 171 Alyisoides Castellana tol. sinuaris incanis 52.6 1252 . . . minor 98. 13 172 Sesamoides Salmanticum parvum 52.5 253. oblonga, orbibus costaris 98. 12 173 Ledum Alpinum, Gallis variis coloribus onustum 65..1. k254 . . minor, orbibus nodosis 98.14 174 Narcissus Hispanicus minimus Autumnalis 52.2 L255 . . globosus, costis elatis maculatis 99. 11 175 Nepa Granatensis l'urea, capsulâ villosa 52. 1 Rhombus Indic. albus, punctis venuste nigricantibus 75. 176 Phaseolus Polonicus marmoreus elegans 66. 14. 57. . . minor, nigris quadrangulis maculatus 99. 12 177 Marmor Helv. e nigro pallidoque eleganter mixtum 65.15 258. costis nodosis, lineolis fuscis cinétus 56. 7 178 Schistus Icht byomorphos costatus 68. 2 Trompeta Indica minor, costis alternis 55.7 179 Schistus Ichthyomorphos planus 6812 260 Unicornu Indicum minus, orbibus crispis 75.5 180 Numisma parva argentea 79.2 261 . . orbibus striatis 75.6 262. orbibus eleganter verrucosis 55.6 ASIA Animalia, Conchylia, Planta, &c. * \$263 . . niveum, mire bifasciatum 53. 5 264 . . lulcatum, ore reflexo 56.4 181 Avis Bengal. parva maculata, Amadavad dicta 53. I * Luz. fluviat. rugolum, velcum nigricans 100. 11 182 Avis Rabo forcado Lusitanis 54. 1. 1. 1. 1. 66 Dentale Indicum majus, sulcatum 53.9 183 Manucodiata minor Sanguinea, Rex Paradys. 53 2 167 Nautilus Indicus vulgaris undatus 99. 9 184 Passer Indicus caudâ longissimâ 55. 1". 268 Patella Borneoca rugis externe lunulatis 54. 7 K185 Acus Chinens. maxima, corpore compresso 68. I 269 . Indica aurita pellucida compressa 53.7 x86 Piscis Chin. cauda argentea 78. 6 270 . lingualis, roltro internè ad dextrum 53.8 187... aurea 78. 7 271 Veneris Concha Indica maxima Hebraica 96: 6. 188 Piscis Diabolus marinus dict. 54.2. 272 Id. media 53. 6 273 . . - . alba, polita, nigro maculata 96. 7 189 Cancer parvus quadratus Luzon. Bungcan. 78:5 X190 Testudo Smyrnea latis planisque squamis 76.4 # 274 · · · maculata, costis & ventre latis nigricantibus 96. X 191 Julius rotundus max. pedibus perplurimis brevibus 74. 3 75 Id. minor 96.9 192 Scolopondria Luz. prælonga tenuisque 79. 1 276 . . . major, oculis pulchre annulosis 97. 6 193 Anguis Born. viridis familiaris &c. 100. 5.M. P. 105(91. 277 . . . alba, labro altero tantum rimato 97. 7 194 Cornu Osso-lapideum pro Comit Serpentis oblatum Kam. 1278 . . . media, maculata, costis pulchre striaris 80. 2 × 195 Papilio Luz. nigricans, variolis perlatis 92. 13 279 maculis plurimis aspersis 80.9 × 196. fuscus, maculis eleganter virentibus 78. 1 280 fulva, lineis punctifque nigris, apic croceis 97. 16 X 197 ... maculis minoribus margine pallidis 93.6 k 281 maculata, rimâ crocea 97. 17 2 198 .. minor e nigred. alboque prona mixtis'53. 3 282 ... guttulis cinereis. litura fusca utroque latere 95. 19 199 Libella Smyrnes perelegans, alis infersangustissimis 73. Li K 283 id. absque lituris 34. 20 🕦 284... candelcens, guttulis fulvis, dorso fere nubulato 99.19 200 ... alis ex flavo nigroque mixtis 73. 12 201 Capricornus Luz. vaginis sulcatis 76. 3.
202 ... lineolis notatus 75. 10.
202 ... minor, dorso & ventre maculatis 96. 11. 201 Capricornus Luz. vaginis sulcatis 76. 3. 203 . Madraspatan. minor, sanguineus, apice nigio 64412- 1 1287 ... parva maculata, ventre albo, apicibus suscis 96. 12 204 Carabus Indiens viridis 70. 6. 288 ... ex albido fulvoque eleganter ornata 97. 18 205 Cervus volans Indicus, cornubus bifurcatis' 70. 5 * Ma89 ... parva, Hepatici coloris fasciata, ventre albo 97. 10 206 Cimecoides max. Madr. niger maculis albis 71. 2. 200 ... trifalciata 97. 11. M. P. 7'11 207 Pectinarius Indicus minot album 71. 2 (14 1691 . . . alba verrucola 57. 13 208 Scarabous impennis Madr. niger, vaginis punctațis 92. 1291 ... albida verrucola parva, apicibus flavis 97. 13 209 Searab. Nasicornie 3. Luzon Kameli 100. 3 14293 Id. fusca 97, 15 210 Formica nigra Luz. Hantic. Kamel. 75 7 1 294 Id. albida, apicibus extantibus 97. 14 ",1 1 Gryllo Teltudo Lik Kameli 76. 12 " 6295 V. C. Or. affi nis alba, apicibus nodolis 97. 22 213 Bjusdem Hexapodes 76. in A. ... 1296 Veneroides Umbilicata Molubcensis marmorata 99 1450 297 . Ind pihor alba 97. 23. 2313 Cochlea Condor. umbilico parvo, ore circinato 61. 1 The 98 Pecter Bedriex albo & castanco lituratus 62. Y 1 214 ... magno, timá (vin ore circinato) notabili es. ? 299 Pectur Indicus albelcenn radiis aureis 56. 2 15, crassa, clavicula compressa 99. 25 308 Putta)

```
puria Smyrned eleganter marmorata 73, 18
                                                       384 Telephium Luz. sempervirens, fol. laceratis 95.2 &c.
  Tulularia purpt vulgaris 67.10. Mus. Periver 797
                                                       385 Valerianella Luz. fol: subrotundo surculento 95. 1;
  nitulis longioribus 67.11 X
                                                      386 Tripetala Luz. fl. cæruleo, rad. glandulofo_71.:6
  Ca Corallium flavelcens striatum nodosum 76.7
                                                      2387 Acajou utriusque India nucleus 63.2
  album majus, stellatum & radiatum 76. 8
                                                       388 Archam Persis. Arbor folio trisido 55. 10
  diantum Cochin. pectinatum ramosissimum 70. 12
                                                       389 Buebenda Persis. Arbor sol. trisidoss. flavo 56. 11 (55. 11.
  of Applenium Luz. Phyllitidis folio 61. 5
                                                      390 Carda Persis. Arbor spinosa, flore & fructu suavissimo x
 bicubitali 61.9
                                                      391 Ebenus pumila, fol. crasso. Amaga Luz. 100. 4
  g...lesquicubitali 62.9
                                                      392 Frutex Luz. fostitomentolo, fl. albo mulcoso 96.4
  folio auriculato 63.9
                                                       393 . . . longiore, baccifera 96.
 angustifolia, e medio ad apicem seminifer 61.2
                                                      394 Minari Malab. siliquâ latâbrevi compressa 62. 11
  Capillaris Malab.non ramosa, fol. rotundo dentato 54.10
                                                      395 Arecæ sive Faufel nucleus 63 3
 Ceterac Naicensis pinnulis angustis multisidis 63.9
                                                      396 Nucleus niger rugosus, cujusdam Palma 63. 1
 12 Filix Icandens Malab. fol. alternis integris 54.9
                                                          Palmæ Madrasp. scriptoriæ Julus 77. 1
 A. Luz. fol. digitatis 64. 10
                                                       398 Membrana reticulata e Luzen. Kameli 92. 17
  d marginibus mire coniferis 64. 11
                                                       399 Viscum Luz. Cerinthes. flore staminoso 63. 8
 6. tol. amplis fiss & foraminofis 62. 10
                                                       400. alterum minus 64. 9
 17. Salicis tolio, margin. seminiferis 63. 10
 8, ramosa, margin. seminiseris 80.3
 Phyllitis Malab. fol. angustiss. marginibus pilosis 54.8
                                                               AFRICÆ, Animalia Plantæ &c.
 Filicula Smyrnea pinnulis rotundis minimis 73.4
  Ophioglossum Smyrneum minimum 73.61
                                                       401 Chameleon Capensis dorso serrato 58-11.
  Juncus clavatus, vaginatus polycephalus e Smyrna 73.
                                                      402 Lacerta Cap. tricruciata 57. 15
  Triglochin Malabar. fol. punctaris 53.11
                                                      403 Lacerta Cap, altè squamosa 58. 16
  Kalı Luz: fol. rotundo, valde tomentolo 99:8
                                                      404 Cerastes Cap. corpore undulato 58. 12.
 Hantago Smyrnea minima, fol. Gramineis 73. 3
                                                      405 Araneoides Cap. fasciata, lutescens 85. 10
 chondrilla Luz. lutea, Primulæ Veris folio 79.4
                                                      406 Capricornus Cap. minor virescens 58. 8.
 ... flore cæruleo nudo 79.5
                                                      407 Crabro Chalybeata pulchre splendens e Cap. B.S. 58. &
 Lichoreum Luz. st. cærut. parvo, pericarp. asperis 79. 9
                                                      408 Eruca Guincensis pilosa elegans 69. 12
 o.. fol. varie denticulatis; fl. cæruleo staminoso 79.8
                                                      409 Phalena Cap. eleganter variegata 58.71
 Jonchus Luz. lævis, fl. coccineo 80. 13
                                                      410 Proscarabeoides Cap. pedibus plumosis 85.9
 Gnaphalium Luz, spicatum, caule alaro 99. 7
                                                      411 Ricinus Capensis niger, corpore rubente 58. 5
 2 Chrylanthemum Antipelanum fl. nudo oblongo 98. 1
                                                    412 Buccinum Cap. tessellat um 57. 9
 23. radiatum marit. Cavitense repens 98. 3
                                                      4'3 Cochlea Cap. vulg. sacie 57. 10
 1. Hort. degener. fol. laciniatis 98. 4
                                                     *414 Operculum Cap. album minus verruculatum 57. 12. (13" "
 integris latioribus 98.2
                                                      415 Trochus Cap. orbibus maculatis 57: 14
6. Medicinale Agonay Luzon. Yerva de Molucca Hisp. 98. 5 16 Patella Cap. compressa soraminosa 85.8
 Matricaria Luz. fl. pleño albo aut garneo 97. 2
                                                      417 .. verruculis radiara 85.11
8 id.fl. aureo 97 3. Mus. Petiver 786
                                                    3418 Musculus Cap. alte sulcata 57.9
Ablinthium Luz. ex alis floridum, Petroselini odore 97. 1419 Unicornu Mauritan. apice obtuso 16. 1
Natifora Luz. Lychnidis folvianguineo s. albo fl. 80 1.
                                                     1.. Matricariæ fol. incano 97. 4:
                                                     421 .. seris pilosis 58. 10
1.. Sideritidis folio 69. 6 1-1-
                                                     *422 Dens Leonis Cap. Barbareæ folio 81.1
 ... capitulis auriculatis 69. 7
                                                     *423 Doronium Cap. luteum, Erucæ fol. angustiore 81.2
Ranualia Malabar. capillaceo folio 53. 10
                                                    Turay Luz. lappulis Saniculæ, foliis variis 97. 4
                                                    ×425 Cenyza Cap. Persicariae folio 81.5 11 1111
 Cabling Luz. Steechadi affinis, Urtica folio villoso 98.6.7 x426 Elychrytum Cap. Camphoratæ foliis 82, 6
 MGaleopsis Luz. folus minoribus 93. 2
                                                    *428 . . Cap. Pedis Cari folio & facie 82. 4
48 Llissa cardiaca ferruginea Maliana Luzon. 92.2
                                                    . 428 .. Quinquenervii; fol. 82.1
19. Luz. fol. eleganter striatis 92. 3
                                                   × 429 . Phalaroides Pedis Cati fol, majus 82. 2
50 Ocimum Luz. aquat. calycibus echinatis 94. 14
                                                   430 .... minus 82.3
11. Urticæ folio, polycherstum 93. 3
                                                   × 431 Filago Cap. globosis sl parvis 82. 5 1 111
32 Acanthium Malabar. Agrifolii foliis 94. 15
                                                   *432 Cotula Cap. lutea, fl. singulari 81. 2 41.
13 Albatoda Luz. Fasmini flore, Pervincæfolio 91. 7
                                                    ×433 .... ramofior 8 i. 12
14. Lauri tolio, yerva de los Paxarillos Hisp. 91. 8
                                                    3434 cad. marginibus foliorum rubris 8-1.-11
55 .. Spica compressa 72. 2
                                                    2435 ead. ramosa, fl. cæruleo extus luteo 81. to
16 . . Spica incana multiplici 72. 1
                                                      436 Chrysanthemum Capense fol. oblongo 81.8 11 11 11 11 11 11
17 . . fl. parvis e Lupuli capitulis 74. 8
                                                    *437 Bellis Cap. umbellisera frutescens 81.7
38 Gratiola Luz. fol. glabris serratis, fl. carnco 99. 1'
                                                    *438 . Lavand. folio-lanuginoso 82. 9
19 . . . latioribus hiriuris, fl. pallide caruleo 99. 2.
                                                      438 * Carlina Cap. Pilosella foliis 82. 10"
60 · · · integris, flore minore albido 99. 4
                                                    *439 Xeranthemum Cap. latifol. fl. majore luteo 81. 4
                                                    * 440 Scabiosa Cap alba, Sideritidis folio 82.7
1. Malubar. fol. stellating dentatis 54. 1 r
h Abrus Indieus medius e toto coccineus 64. I
                                                    ×441 .. purpurea, Rapi folio 82.8
12 · coccineus compreisus Bahay Luzon. 64. 2
                                                    *442 Tanacerum Capense Buxi folio 81. 6
                                                      443 Alparagus Cap. spinosa. fol. sere ternis plumosis 57.8
Bulilla Perlicis. Bulbus caule spinoso, fr. ror. duro 59.9
                                                      444 Bryonoides Cap. bulbosa, fl. cæruleo disperhios 82. i2?
65 Kanadi Perficis. Bulbus fl. luteo suavissimo 56. 10
66 Orchides epidendron Malab. 54. 12
                                                    2445 Leonurus Capens. fol. non serratis 82. Ti
                                                    3446 Apocynum Cap. Lauri fol. venoso, fr. barbaro 8451
Malline Luz. iol. ternis plutibulve 99. 3
facie Luz. fl. tetraperalis fere ternis 99. 5
                                                      447 id fol. angustiore 84. 2
                                                   *448 . batbatum fere triphyllum 84. 3
Gistus Malabar, foliis plumosts 53, 12
                                                      449 . Scandens, rad tuberola 84. 4.

450 . Fritillaricum minus 00. 4
Pentaphlora tubo longististo: Tampinanio Luz, 96. 2
breviore, caiyee magner. Bagavag Luz: 96. 3 D&c. 450 . Fritillaricum minus 90. 4
nomala Luz. H. alboradiato, Iem. pappolò 99., 6
                                                    X451 Geranium Capense frutescens, Aceris folio 84.5
Il um spinot tol. lemicirculari maculato. Ardabar Pers. 36.92452 . . Ribesii solio 84. 6
14 Dracontium folio palmard Rumphal Persis 36. 12
                                                   2453 . Sanicula folio 84. 7
Bucephalus Persicus Aladiul dictus 55. 8
                                                    1454 · Caryophillat sol. caudice spinoso 84. 8
Casopanjal Luz. Herba Obstetricum Kamel 94. 13
                                                    *455 . . auric. Arthemisic fol. fl. Sanguineo 84. 9
Catujud Luz. Plantaginis fol. flore urceolato 96. 1
                                                    456 . . Cicutaria folio, luteum 84 10
Chamelycæ Luz. major 80 14
                                                    #457 . . rad. Rapaceo, fl. sanguineo 84. 11
Flamula Sinensis seu Samtanghuy Jasmini flore 91. 6
                                                    *458 . . Myrrhidis folio cinereo 84. 12
Hinlalayon Luz. fol. incanis tetraspermos 71. 7
                                                    459 Centaurium Capense fol, angusto 90. 6 "
 La Saururus Malabar. fol. globolis 53. 12
                                                    1461 Limonium Capense angustifolium. 83.12
Dugands juz. palustria Origeni odore, fi, priperalo 93,1 3648, Reprizrium Caponsti Corondpi falio 83, x ... il
```

535. Salamandra Caroliniana minor 79:14. 8 91. 2 × 463 Aloe Cap. valde aculcata 88.2 536 Scincus Americ. fulvus, capite rubente 69. 3 × 464 .. maculata lævis 88. 1 537 Serpens Amer. luteuse rubro nigro albuque mixius 465. Cap. arbor ramola 87.9 1538 Vipera Americana caudisona. Crepitaculum ejus 62 × 466 ... non ramola 88. 3 539 Cancer Brasil. parvus castanei coloris 60. 6 4:467 .. caulescens, Palma facie 89.3 540 . Carolin. rugotus elegans 73. 11 ×468 .. Cepæ folio 89. 2 541 Avis Carol rostro Cultriformis 76. 2 ×469 ... Pinoides 89. I 542 Hirundo Brasil. Ibian. Lusitanis Noitiba dicta 59.1 ×470 Sedum Cap. frutesc. fol. subrot. crasso 89.4 543 Anguilla maculata Tajacioa Brasil. 59.2 ×471. Pinastri folio, fl. specioso aureo 89. 5 544 Barbus Amer. maximus, setis variis 67.2 × 472 . . umbellatum, fl. albido 89.7 545 Perca Amer. max. cinerea, fasciis nigricantibus 67. ×473 Spirea Cap. comosa, fl. albo 89.8 546 Piscis compressus pinnis aculcatis Guaperva Brasil ×474 ead. fl. sparso 89.6 547 . spinosus, maculis nigris, Guamajacu Brasil. 60.1 ×475 .. Satureiæ folio 89.9 548. Amer. luteus, striis nigris aculeatis 69. 1 ×476 Ficoides Cap. Apocyni folio, fl. magno cæruleo 88. 4 549 Os angustum serratum cujusdam Piscis 77.12 477 .. fol. lato undulato, fl. purpureo 88. 5 4 550 Os latum sinuatum alterius Piscis 77. 11 ×478 acuto, fl. albo intus luteo 7. 10 551 Arumatia Brafil. cruribus maculatis 60. 2 *479 .. triangulari fol. humilis, fl. aureo 88.8 552 Capricornus Brasil. e susco lutéoque striatus 59.5 ×480 ... humilis fl. purpureo 88.9 553 Cimex Brasil.e viridi & susco mixtus 60. 2 X481...acuto fl. purpureo 77-3 554 Elasticus Brasil. major, striis luteis & nigris 59..7 ×482 ... fl. luteo intus pallido 77.10 555 Ricinus Brasil. varie maculatus 60.4 ×483 ... longo crenato 78.2 556 Testudinarius Brasil. major, e viridi aureus 59.6 * 484 . . tereti fol. apicibus hirtis 77.9 557 Vespa Brasil. Chalybis lucente 60.9 *485 ... fl. albido 78. 3 558 Cochinilla Officinar 75. 9 Chrysalis &c. F. G. ×486 ... fl. croceo 78.9 559 Rhinoceros Amer. ciner. rostro nigro nitente 70.1 ×487 .. clavato folio, fl. aureo 88.7 560 Scarabeolus Carol. nigro flavoque mixtus 71.3 × 488 .. Graminis fol. fl. aureo, stellato 88.6 561 Testudinarius Carol. flavus, marg. transparenti 71. 489 Bermudiana Cap. rad. magnâ carnosa 57.7 4-562 Cochlea Barbad. rugosa unidens 63. 11 490 Eroco affinis Cap. tricolor, caule nodoso 58, 3 563. Jamaic. depressa bidens umbilicata 71. 10 × 491 Hyacinthus Cap.carneus, altilis fol. angusto 87.4 1 564 . . verruculata 70. 11 × 492 Ornithogalum Cap. fl. roseo 87.3 4565 . Virg. minor, ore tridentino 71.8.9 493 .. flavescente flore \$7.6 4566 . Caroi. rimis tessellatis undata 69. 5 494 .. Spicatum, fl. incarnato 85.3 Fibula Jamaicensis 75.10 × 495 .. umbellatum, ornatissimum purpureum 85.4 568 Neritula Brasil. nitide punctata 67.4 496 Tulipæ affinis Cap. rubra, caule maculato 86.4 569 . . punctata, faiciâ singulari 68. 5 / 497 Lilio Asphodelus Cap. fl. roseo 85.5 id. fl. albo K570 ... bifaiciata 68. 7 × 498 Gladiolus Cap. purp. fl. uno versu dispositis 87. 1 *571 .. nigra, punctulis albis 67.5 × 499 Orchidea Cap. Tulipæ fl. roseo, testiculata 85. 7. 572 .: pennasus, falciâ singulari 68. 6 x 500 id. Raphani radice 85.6 ... 1573 .. lituris eleganter variis 67.3 X 501 Orchis Cap. alba, caule rubro maculato 86. 1 2574 .. oblique striata 68.8 x 562 Id. aurea, fol. acutiore 86.2 1575 ead. & fasciata 68. 4 × 503 .. aurea, fol. concavis 85. 1 2576 Nerita Brasil. fasciis 5 radiata 60. 7 × 304 .. purpurea, fol. crispis 86. 3 1577 Planorbis Brasil. maximus fasciatus 92. 4 505 Sissmbichium Cap. monanthos fl. cucullato 58.2 578 Cytindrus Brasil. albus fasciatus 59.8 506.. trianthos umbellatum 85.2 579 Murex Jam. fasciata nodosa 74. 1 × 507 .. Roseum ramosum 87.2 3 580 Patella Barbadensis cancellata 80, 11 × 508.. spicatum, petalis multifidis 87.5 581 .. rugosa 80.12 × 509 Anagyris Capensis luteus, foliis rotundis 83.6. 1582 .. cancellata, rostro sinistro 95.12 510 . luteus, fol. acutis 83. 7. 7583 ... galeata, parva, costis albis inæqualibus 80. 10 511 . flore cæruleo 83. 8 1584 Trochus Bard. mag. ex albo nigroque &c. M. P. 312 Cytilus Capens. angustifolius luteus, 83. 4 * 4585 Veneris Concha Jam. fulva, fasciata rusesc. rimâ 849 ×513. fol. minoribus, fl. comoso 83. 5 386 .. Bard. minor, macul. flavescentibus 95. 13 X314 Spartium Capense flore cæruleo 83. 2 87 Unicornu Amer. breve, fasciis croceis 63.12 × 515. luteum, foliis capillaceis 82. 3 1588 Musculus Baham, fere radiata 71.11 316. affinis baccifera, Ericæ folio 83.9 589 Helitropium Brasil. Herbæ Paridis solio 59. 10 × 517 Euphorbium, Cap. Cerei effigie, spinosum 90, 2 590 Convolvulus Brasil. fl. albo, caule cavo 60. 10 518. Pincides, fl. albo coronato, petalis incisis 90. I 591 Arum Brasil. fl. albo, 60. 12 X 319. tuberculis spinosis 86.5 592 Ipecacaunha Brasil. rad. emetica 59. 9 x 320. luteum, squamis hamaris 86, 6 593 Valerianoides Brasil. fol. cordato 60. 11 x 521 . Ficoidis folio 90. 3 594 Camanbaya Bras, Frutex sol. crasso dentato 59. 12 x 522 Dolneus Cap. foliis ter trinis, fl. nodosis 90. 9 595 Cerasus Brasil. fr. rubro sulcato, Piperis sapore 60. 323 Smilax Cap. fr. trigono, fol. viticulo terminante 58.4 596 Prunus Bras. Portulação fol. fl. albo 60. 8 324 Tilianoides Cap. vaginis laceratis, fl. luteis 90. 8 397 Inga Brasil. tr. comoso eduli 59, 179. 525 Trientalis Cap. Dracocephali folio 58. 1 #398 Corallium Amer. album Astroites 8. 10 526 Cerasus Caponsis fructu cæruleo 57. 5 **4.**599 ... Cerebri facie 68.11 527 . . rubro folio fere obtuso 57.4 600 . . arboreus iquamoius & fasciatus 94. 12 528 . fr. rubro singulare 87. 12. 601 Boletus Virgin. minor stellatus 94. 11 529 . fr. rubro racemolo 87 10 602 Fungus Virg. parvus rubellus subius porosus 94. 10 530.,.. racemoso, pediculis perbrevibus 87. 11 603 Anguria Barbad. sem. eleganter sculpto 91.4 531 Erica Cap. fl. carneis urceolatis stam. rubris 90. 7 604 Paba Jum. compressa, hilo nigro pene rotundo 73. 332 Inga folio Cap. fructu triangulo tricocco 57. 1. 605 Fructus Jem. ovalis foraminosus 71.5 33 Cole Guineensibus Nucleus amar, esculentus 74. 2 606. oblongus squamosus Americ. 64.3 AMERICA Animalia, Infetta, Vegitabilia, Ge. 607 Lignum Mexicanum fragrans 71.13 608 Pistula sumigatoria à Princip. Carol. usitata 74.7 334 Lacerea fore quadrangula Americima, Braul, 59.4


the contract of the second state of the second

and the form congress particular and have been a fine and the


MOCCXI

July 5 330 3 3 40. (1) 17 17 17 17 17 17


The transfer of the first of




To the most reverend father in God Thomas Lond Archbishop of Canterbury Metropolitan of all England &c. This table is Humbly Dedicated by IAMES PETIVER F.R.S.




To the Right REVEREND FATHER in GOD
HENRY Lord BISHOP of LONDON
This TABLE is Humbly DEDICATED
by IAMES PETIVER F.R.S.



To his GraceHENRY Duke of BEAUFORT
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.




To Her GRACE MARY
DUTCHES DOWAGER of BEAUFORT
This TABLE is Humbly DEDICATED
by IAMES PETIVER F.R.S




To Her GRACE MARY
DUTCHESS OF ORMOND.


This TABLE is Humbly DEDICATED
by IAMES PETIVER.F.R.S.




To the LADY ANN
COUNTESS OF COVENTRY.
The TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.



To the R! Honourable, IOHN Lord SUMMERS Baron of EVESHAM
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.RS.




To the R! Honourable Thomas Lord Viscount WEYMOUTH This TABLE is Humbly DEDICATED by IAMES PETIVER. FRS.



• •




To the Honourables: IsaacNewion President of the Royal Society Thus table is Humbly Dedicated by Lames Petiver. F.Rs.




To CIRIL ARTHINGTON ESQ.

This Table is Humbly DEDICATED
by IAMES PETIVER F. R.S.




To D^R IOHN ARBUTHNET
PHYSICIAN in ORDINARY
To Her MAJESTY QUEEN ANN
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R. S.




To Francis Aston Esq.

This TABLE is Humbly DEDICATED
by IAMES PETIVER. F. R.S.



To ROBERT BALL ESQ.

This TABLE is Humbly DEDICATED
by IAMES PETIVER. F. R.S.




To D'ACRE BARRET Esq' F.R.S.

Of BELL House in ESSEX.

This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.


TABLXVII Fig. 1

To the Honourable D'MARTINLISTER
Her MAJESTIES PHYSICIAN &c.
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.




To M SAMUEL, MORLAND. F.R.S.


This Table is Humbly Dedicated
by Iames Petiver. F.R.S.



To D. TANCRED ROBINSON
Fellow of the COLLEDGE of Physicians
and Royal Society London
This Plate is Humbly dedicated
by IAMES PETIVER F.R.S.




To D'HANS SLOAN. Fellow of the Colledge of Physicians Secretary of The Royal Society &c.
This Plate is Humbly Dedicated by IAMES PETIVER. F.R.S.






TOMR CHRISTOFHER BREWSTER
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.



Tod WILLIAM GIBBONS.M.D.


This TABLE is Humbly DEDICATEDby IAMES PETIVER. F.R.S.





To D'CHARLES GOODAL
PRESIDENT of Grollege of PHYSICIANS LONDO
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.







To MR THOMAS GRANGER

Of the EAST INDIA House.

This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.



To the HON. Cap CHARLES HATTON
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.




To M. GEORGE LONDON

Late GARDINER & K.WILL & Q. MARY


This TABLE is Humbly DEDICATED

by IAMES PETIVER. F.R.S.




To MR FRANCIS MOULT. CHYMIST.
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F. R.S.


TAB. LXXIX.




To the Honourable D'WILLIAM SHERARD.
CONSUL of SMYRNA &c.
This Table is Humbly Dedicated
by Lames Petiver F.R.s.



To the REV. M. WILLIAM STONESTREET
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.



To M. JACOB BOBART
BOTANICK PROFESSOR of OXON
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.




To D DIXON COLBY MD.


of MERTON Colledge OXON.

This TABLE is Humbly DEDICATED


by IAMES PETIVER.F.R.S.




To MRICHARD DYER
FELLOW of ORIEL, College in OXON
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.




To the REV. D. ALEXANDER PUDSEY.
Fellow of MAGDALEN College OXON
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.







To MROBERT ANTROBUS
OF PETER House. CAMBRIDGE
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.




To the REVEREND D. JOHN COVELL MASTER of CHRISTS College CAMBRIDG This TABLE is Humbly DEDICATED by IAMES PETIVER. F.R.S.




To the REVEREND D. HENRY JAMES MASTER of QUEENS College CAMBRIDG This TABLE is Hundly DEDICATED by LAMES PETIVER. F.R.S.






Summ Nicholls sculp


To His GRACE WILLIAM LORD ARCHBISHOP of DUBLIN The TABLE is Humbly DEDICATED by IAMESPETIVERERS.



ToD. BENJAMIN PRATT
PROVOST of TRINITY College DUBLIN.
This TABLE is Humbly DEDICATED
by LAMES PETIVER. F.R.S.




To D'IOHNHALL VICE PROVOST DIVINITY L'HEBREW PROFESSOR of TRINITY College. DUBLIN.
This TABLE is Humbly DEDICATED. by IP.




To D. ROBERT GRIFFITH PRESIDENT of & Colle of PHYSICIANS in Dublif and CHYMISTRY Professor to the University This TABLE is Humbly DEDICATED. by. I.P.



To D. RICHARD HELSHAM.M.D.
FELLOWS PROFESSOR of NATURAL PHILOSOPHY
of TRINITY College. DUBLIN.
The TABLE is Humbly DEDICATED by I.P.






To Count LORENZO MAGALOTTI

First Minister to y


GRAND DUKE of FL ORENCE

This TABLE is Humbly DEDICATED


by IAMES PETIVER. F.R.S.



To D. JOHN HESSIUS at ZURICK.
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.



To D. JOHN GE ORGE KISNER M.D.
PHYSICIAN at FRANCKF ORT
This TABLE is Humbly DEDICATED
by IAMES PETIVER. F.R.S.



To that Most Curious LIEFHEBBER

MynHeerLEVINUSVINCEN T.AMS TERDAM

This TABLE is Humbly DEDICATED

by LAMES PETIVER.F. R.S.

